Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Ultrasonics 41 (2004) 825–829
Ultrasonics
www.elsevier.com/locate/ultras

Author Index to Volume 41

Acevedo, P., see Castillo, M. 671
Adam, D., see Behar, V. 377
Adam, D., see Behar, V. 385
Adam, D., see Behar, V. 743
Albareda, A., see Casals, J.A. 307
Allin, J.M., and Cawley, P.
Design and construction of a low frequency wide band non-resonant transducer 147
Ammann, J.-J., and Galaz, B.
Sound velocity determination in gel-based emulsions 569
Arnold, F.J., and Mühlen, S.S.
The influence of the thickness of non-piezoelectric pieces on pre-stressed piezotransducers 191
Asai, K., see Kurosawa, M.K. 271
Asanuma, T., see Bartleson, V.B. 75
Awasthi, A., and Shukla, J.P.
Ultrasonic and IR study of intermolecular association through hydrogen bonding in ternary liquid mixtures 477

Bacon, C., see Guilliorit, E. 97
Bajenov, N., see Mather, M.L. 551
Bajons, P., see Roesel, M. 663
Baldock, C., see Mather, M.L. 551
Bartleson, V.B., Viggen, K., Asanuma, T., Kinnick, R.R., and Belohlavek, M.
Automated quantitative analysis of the shift of frequency spectra generated by attenuated signals from contrast microbubbles 75
Basir, O.A., see Zhao, B. 217
Behar, V., Adam, D., and Friedman, Z.
A new method of spatial compounding imaging 377
Behar, V., Adam, D., and Friedman, Z.
A new method of ultrasound color flow mapping 385
Behar, V., Adam, D., Lysyansky, P., and Friedman, Z.
The combined effect of nonlinear filtration and window size on the accuracy of tissue displacement estimation using detected echo signals 743
Belloncle, G., Franklin, H., Luppé, F., and Conoir, J.M.
Normal modes of a poroelastic plate and their relation to the reflection and transmission coefficients 207
Belohlavek, M., see Bartleson, V.B. 75
Belovich, J.M., see Grossner, M.T. 65
Berger, W.A., see Radulescu, E.G. 635
Billson, D.R., see Hutchins, D.A. 163
Blindt, R., see Chow, R. 595
Breazeale, M.A., see Elmore, P.A. 709
Briot, R., see Frayssignes, H. 89
Brotherhood, C.J., Drinkwater, B.W., and Dixon, S.
The detectability of kissing bonds in adhesive joints using ultrasonic techniques 521

Cai, Z.M., see Liu, H. 397
Cao, W., see Jiang, W. 55
Casals, J.A., Albareda, A., Pérez, R., García, J.E., Minguella, E., and Montero de Espinosa, F.
Nonlinear characterization with burst excitation of 1–3 piezocomposite transducers 307
Castagnède, B., see Gusev, V. 643
Castaings, M., see Hosten, B. 501
Castaings, M., see Le Clezio, E. 25
Castillo, M., Acevedo, P., and Moreno, E.
KLM model for lossy piezoelectric transducers 671
Cawley, P., see Allin, J.M. 147
Cawley, P., see Long, R. 509
Chan, H.L.W., see Guo, S.S. 223
Chang, K.-T.
Improving the transient response of a bolt-clamped Langevin transducer using a parallel resistor 427
Chang, K.-T., and Ouyang, M.
Open-circuit test of a PZT vibrator and its applications 15
Chatterjee, D.
Use of ultrasonics in shear layer cavitation control 465
Chen, T.-Y., Chu, S.-Y., and Juang, Y.-D.
Effects of strontium on the surface acoustic wave properties of Sm-modified $PbTiO_3$ ceramics 141
Chiffoleau, G.J.A., Steinberg, T.A., and Veidt, M.
Reflection of structural waves at a solid/liquid interface 347
Chimenti, D.E., see Guilliorit, E. 97
Chivers, R., see Chow, R. 595
Chivers, R.C., see Hughes, E.R. 365
Cho, H., see Ishikawa, S. 1
Choi, Y.-C., see Qin, Y.-C. 407
Chow, R., Blindt, R., Chivers, R., and Povey, M.
The sonocrystallisation of ice in sucrose solutions: primary and secondary nucleation 595
Choy, C.L., see Guo, S.S. 223
Chu, X., Xing, Z., Li, L., and Gui, Z.
High resolution miniaturized stepper ultrasonic motor using differential composite motion 737
Chu, S.-Y., see Chen, T.-Y. 141
Chu, S.-Y., Water, W., and Liaw, J.-T.
An investigation of the dependence of ZnO film on the sensitivity of Love mode sensor in ZnO/quartz structure 133
Clark, M., see Sharples, S.D. 295
Collings, A.F., see Mather, M.L. 551
Conil, F., see Le Gonidec, Y. 487
Conoir, J.M., see Belloncle, G. 207
Conoir, J.M., see Lethuillier, S. 655

da Silva, R.R., see Siqueira, M.H.S. 785
Deschamps, M., see Every, A.G. 581
Dixon, S., see Brotherhood, C.J. 521
Dorronsoro-Areal, J.L., see Riera-Franco de Sarabia, E. 277
Drinkwater, B.W., see Brotherhood, C.J. 521
Du, J., see Hu, J. 731
Dual, J., see Leutenegger, T. 811

doi:10.1016/S0041-624X(04)00203-3

Duarte, M.A., Machado, J.C., and Pereira, W.C.A.
A method to identify acoustic reverberation in multilayered homogeneous media 683

Elmore, P.A., and Breazeale, M.A.
Dispersion and frequency dependent nonlinearity parameters in a graphite–epoxy composite 709
Elvira-Segura, L., see Gallego-Juárez, J.A. 255
Elvira-Segura, L., see Riera-Franco de Sarabia, E. 277
Essadiqi, E., see Jen, C.-K. 777
Every, A.G., and Deschamps, M.
Principal surface wave velocities in the point focus acoustic materials signature $V(z)$ of an anisotropic solid 581

Fan, Y., Tysoe, B., Sim, J., Mirkhani, K., Sinclair, A.N., Honarvar, F., Sildva, H., Szecket, A., and Hardwick, R.
Nondestructive evaluation of explosively welded clad rods by resonance acoustic spectroscopy 369
Feke, D.L., see Grossner, M.T. 65
Franklin, H., see Belloncle, G. 207
Frayssignes, H., and Briot, R.
Traveling wave ultrasonic motor: coupling effects in free stator 89
Friedman, Z., see Behar, V. 377
Friedman, Z., see Behar, V. 385
Friedman, Z., see Behar, V. 743
Fujii, N., see Kobayashi, T. 185

Gachagan, A., Speirs, D., and McNab, A.
The design of a high power ultrasonic test cell using finite element modelling techniques 283
Galaz, B., see Ammann, J.-J. 569
Gallego-Juárez, J.A., Elvira-Segura, L., and Rodríguez-Corral, G.
A power ultrasonic technology for deliquoring 255
García, J.E., see Casals, J.A. 307
Gatts, C.E.N., see Siqueira, M.H.S. 785
Ghaffari, B., G. Mozurkewich, L.A. Godlewski and Zindel, J.W.
Ultrasonic characterization of shrinkage microporosity in aluminum castings 699
Gibert, D., see Le Gonidec, Y. 487
Godlewski, L.A., see Ghaffari, B. 699
Gómez Gonzaléz, J.P., see Nikolov, S.I. 421
González-Gómez, I., see Riera-Franco de Sarabia, E. 277
Gouyon, R., see Silva, M.Z. 301
Gramotnev, D.K., Mather, M.L., and Nieminen, T.A.
Anomalous absorption of bulk shear sagittal acoustic waves in a layered structure with viscous fluid 197
Grossner, M.T., Penrod, A.E., Belovich, J.M., and Feke, D.L.
Single fiber model of particle retention in an acoustically driven porous mesh 65
Gui, Z., see Chu, X. 737
Guilliorit, E., Hosten, B., Bacon, C., and Chimenti, D.E.
Microwave excitation of ultrasound in graphite–fiber reinforced composite plates 97
Guo, S.S., Lau, S.T., Chan, H.L.W., Zhao, X-Z., and Choy, C.L.
Ultrasonic transducers using electron-irradiated vinylidene fluoride-trifluoroethylene copolymers 223
Gusev, V., Castagnède, B., and Moussatov, A.
Hysteresis in response of nonlinear bistable interface to continuously varying acoustic loading 643

Hall, L.D., and Mba, D.
Diagnosis of continuous rotor–stator rubbing in large scale turbine units using acoustic emissions 765
Hardwick, R., see Fan, Y. 369
Hassan, W., and Veronesi, W.
Finite element analysis of Rayleigh wave interaction with finite-size, surface-breaking cracks 41
Hattori, K., see Singh, K.J. 9
Hayashi, T., Song, W.-J., and Rose, J.L.
Guided wave dispersion curves for a bar with an arbitrary cross-section, a rod and rail example 175
Haydock, D., and Yeomans, J.M.
Acoustic enhancement of diffusion in a porous material 531
Heo, J.-Y., see Ko, W.-B. 727
Herstrass, K., see Roesel, M. 663
Hertz, H.M., see Wiklund, M. 329
Hirasawa, M., see Komarov, S. 289
Ho, S.-F., see Hu, J. 731
Holland, S., see Zou, W. 157
Honarvar, F., see Fan, Y. 369
Honarvar, F., Sheikhzadeh, H., Moles, M., and Sinclair, A.N.
Improving the time-resolution and signal-to-noise ratio of ultrasonic NDE signals 755
Hosaka, Y., see Kobayashi, T. 185
Hosten, B., see Guilliorit, E. 97
Hosten, B., see Le Clezio, E. 25
Hosten, B., and Castaings, M.
Surface impedance matrices to model the propagation in multilayered media 501
Hu, J., Ho, S.-F., Ong, E.-L., and Du, J.
An experimental investigation of the temperature field in small piezoelectric vibrators 731
Hughes, E.R., Leighton, T.G., Petley, G.W., White, P.R., and Chivers, R.C.
Estimation of critical and viscous frequencies for Biot theory in cancellous bone 365
Hutchins, D.A., Robertson, T.J., Billson, D.R., and Solanki, P.
A conical air-coupled capacitance transducer for surface imaging 163
Hynynen, K., see Konofagou, E. 337

Ishikawa, S., Cho, H., Tsukahara, Y., Nakaso, N., and Yamanaka, K.
Analysis of spurious bulk waves in ball surface wave device 1
Itoh, H., see Kurosawa, M.K. 271
Izbicki, J.L., see Lethuillier, S. 655

Jager, W., see Spies, M. 125
Jen, C.-K., Moisan, J.-F., Zheng, C.-Q., Loong, C.A., Kruger, S.E., Shehata, M.T., and Essadiqi, E.
In-line ultrasonic monitoring of semi-solid magnesium die casting process 777
Jensen, J.A., see Nikolov, S.I. 421
Jensen, J.A., see Schlaikjer, M. 415
Jeong, H., Nahm, S.-H., Jhang, K.-Y., and Nam, Y.-H.
A nondestructive method for estimation of the fracture toughness of CrMoV rotor steels based on ultrasonic nonlinearity 543
Jhang, K.-Y., see Jeong, H. 543
Jiang, B., see Jiang, W. 55
Jiang, W., Zhang, R., Jiang, B., and Cao, W.
Characterization of piezoelectric materials with large piezoelectric and electromechanical coupling coefficients 55

Joshi, S.G., see Sakharov, V.E. 319
Juang, Y.-D., see Chen, T.-Y. 141

Kim, J.Y., see Kim, Y.H. 799
Kim, K.Y., see Zou, W. 157
Kim, T.-W., see Qin, Y.-C. 407
Kim, Y.H., Song, S.-J., and Kim, J.Y.
A new technique for the identification of ultrasonic flaw signals using deconvolution 799
Kim, Y.U., and Wang, M.C.
Effect of ultrasound on oil removal from soils 539
Kinnick, R.R., see Bartleson, V.B. 75
Ko, W.-B., Heo, J.-Y., Nam, J.-H., and Lee, K.-B.
Synthesis of a water-soluble fullerene [C_{60}] under ultrasonication 727
Kobayashi, T., see Kobayashi, T. 185
Kobayashi, T., Kobayashi, T., Hosaka, Y., and Fujii, N.
Ultrasound-enhanced membrane-cleaning processes applied water treatments: influence of sonic frequency on filtration treatments 185
Komarov, S., and Hirasawa, M.
Enhancement of gas phase heat transfer by acoustic field application 289
Konofagou, E., Thierman, J., and Hynynen, K.
The use of ultrasound-stimulated acoustic emission in the monitoring of modulus changes with temperature 337
Krstelj, V., see Stepanić Jr., J. 115
Kruger, S.E., see Jen, C.-K. 777
Kuang, Z.B., see Liu, H. 397
Kurosawa, M.K., Itoh, H., and Asai, K.
Elastic friction drive of surface acoustic wave motor 271
Kuznetsov, S.A., see Sakharov, V.E. 319
Kuznetsova, I.E., see Sakharov, V.E. 319

Laoratanakul, P., see Manuspiya, S. 83
Lau, S.T., see Guo, S.S. 223
Le Clezio, E., Valentin Predoi, M., Castaings, M., Hosten, B., and Rousseau, M.
Numerical predictions and experiments on the free-plate edge mode 25
Le Gonidec, Y., Conil, F., and Gibert, D.
The wavelet response as a multiscale NDT method 487
Lee, K.-B., see Ko, W.-B. 727
Lee, W.-C., see Qin, Y.-C. 407
Leighton, T.G., see Hughes, E.R. 365
Lepoutre, F., see Silva, M.Z. 301
Lethuillier, S., Conoir, J.M., Pareige, P., and Izbicki, J.L.
Resonant acoustic scattering by a finite linear grating of elastic shells 655
Leutenegger, T., and Dual, J.
Non-destructive testing of tubes using a time reverse numerical simulation (TRNS) method 811
Lewin, P.A., see Nowicki, A. 615
Lewin, P.A., see Radulescu, E.G. 239
Lewin, P.A., see Radulescu, E.G. 247
Lewin, P.A., see Radulescu, E.G. 635
Li, L., see Chu, X. 737
Liaw, J.-T., see Chu, S.-Y. 133
Litniewski, J., see Nowicki, A. 615
Liu, H., Kuang, Z.B., and Cai, Z.M.
Propagation of Bleustein–Gulyaev waves in a prestressed layered piezoelectric structure 397
Long, R., Lowe, M., and Cawley, P.
Attenuation characteristics of the fundamental modes that propagate in buried iron water pipes 509
Loong, C.A., see Jen, C.-K. 777
Lowe, M., see Long, R. 509
Luppé, F., see Belloncle, G. 207
Lysyansky, P., see Behar, V. 743

Machado, J.C., see Duarte, M.A. 683
Machado, J.C., and Valente, J.S.
Ultrasonic scattering cross sections of shell-encapsulated gas bubbles immersed in a viscoelastic liquid: first and second harmonics 605
Manuspiya, S., Laoratanakul, P., and Uchino, K.
Integration of a piezoelectric transformer and an ultrasonic motor 83
Mather, M.L., see Gramotnev, D.K. 197
Mather, M.L., Collings, A.F., Bajenov, N., Whittaker, A.K., and Baldock, C.
Ultrasonic absorption in polymer gel dosimeters 551
Matsuda, Y., see Singh, K.J. 9
Mba, D., see Hall, L.D. 765
McNab, A., see Gachagan, A. 283
Minguella, E., see Casals, J.A. 307
Mirkhani, K., see Fan, Y. 369
Mittal, G.S., see Zhao, B. 217
Moisan, J.-F., see Jen, C.-K. 777
Moles, M., see Honarvar, F. 755
Montero de Espinosa, F., see Casals, J.A. 307
Moreno, E., see Castillo, M. 671
Moussatov, A., see Gusev, V. 643
Mozurkewich, G., see Ghaffari, B. 699
Mrasek, H., see Stepanić Jr., J. 115
Mühlen, S.S., see Arnold, F.J. 191
Muñoz-Bueno, R., see Riera-Franco de Sarabia, E. 277

Nagai, S., see Singh, K.J. 9
Nahm, S.-H., see Jeong, H. 543
Nakano, H., see Singh, K.J. 9
Nakaso, N., see Ishikawa, S. 1
Nam, J.-H., see Ko, W.-B. 727
Nam, Y.-H., see Jeong, H. 543
Nieminen, T.A., see Gramotnev, D.K. 197
Nikolov, S.I., Gómez Gonzaléz, J.P., and Jensen, J.A.
Real time 3D visualization of ultrasonic data using a standard PC 421
Nilsson, S., see Wiklund, M. 329
Nowicki, A., see Radulescu, E.G. 239
Nowicki, A., see Radulescu, E.G. 247
Nowicki, A., see Radulescu, E.G. 635
Nowicki, A., Litniewski, J., Secomski, W., Lewin, P.A., and Trots, I.
Estimation of ultrasonic attenuation in a bone using coded excitation 615

Ong, E.-L., see Hu, J. 731
Orwat, M., see Shi, Y. 623
Ouyang, M., see Chang, K.-T. 15
Ouyang, M., see Wen, F.-L. 437
Ouyang, M., see Yen, C.-Y. 451

Pareige, P., see Lethuillier, S. 655
Parrini, L.
New technology for the design of advanced ultrasonic transducers for high-power applications 261
Penrod, A.E., see Grossner, M.T. 65
Pereira, W.C.A., see Duarte, M.A. 683
Pérez, R., see Casals, J.A. 307

Peters, F., and Petit, L.
A broad band spectroscopy method for ultrasound wave velocity and attenuation measurement in dispersive media 357
Petit, L., see Peters, F. 357
Petley, G.W., see Hughes, E.R. 365
Povey, M., see Chow, R. 595
Prevenslik, T.V.
Cavitation induced Becquerel effect 323
Prevenslik, T.V.
The cavitation induced Becquerel effect and the hot spot theory of sonoluminescence 313

Qin, Y.-C., Lee, W.-C., Choi, Y.-C., and Kim, T.-W.
Biochemical and physiological changes in plants as a result of different sonic exposures 407
Qu, J., and Zhou, T.
An electric contact method to measure contact state between stator and rotor in a traveling wave ultrasonic motor 561

Radulescu, E.G., Lewin, P.A., Nowicki, A., and Berger, W.A.
Hydrophones' effective diameter measurements as a quasi-continuous function of frequency 635
Radulescu, E.G., Lewin, P.A., Wójcik, J., and Nowicki, A.
Calibration of ultrasonic hydrophone probes up to 100 MHz using time gating frequency analysis and finite amplitude waves 247
Radulescu, E.G., Wójcik, J., Lewin, P.A., and Nowicki, A.
Nonlinear propagation model for ultrasound hydrophones calibration in the frequency range up to 100 MHz 239
Rebello, J.M.A., see Siqueira, M.H.S. 785
Riera-Franco de Sarabia, E., Elvira-Segura, L., González-Gómez, I., Rodríguez-Maroto, J.J., Muñoz-Bueno, R., and Dorronsoro-Areal, J.L.
Investigation of the influence of humidity on the ultrasonic agglomeration of submicron particles in diesel exhausts 277
Robertson, T.J., see Hutchins, D.A. 163
Rodríguez-Corral, G., see Gallego-Juárez, J.A. 255
Rodríguez-Maroto, J.J., see Riera-Franco de Sarabia, E. 277
Roesel, M., Herstrass, K., and Bajons, P.
Computer generated optical holographic fringe patterns for the analysis of vibrating structures 663
Rose, J.L., see Hayashi, T. 175
Rousseau, M., see Le Clezio, E. 25

Sachse, W., see Zou, W. 157
Sakharov, V.E., Kuznetsov, S.A., Zaitsev, B.D., Kuznetsova, I.E., and Joshi, S.G.
Liquid level sensor using ultrasonic Lamb waves 319
Schlaikjer, M., Torp-Pedersen, S., and Jensen, J.A.
Simulation of RF data with tissue motion for optimizing stationary echo canceling filters 415
Secomski, W., see Nowicki, A. 615
Sharples, S.D., Clark, M., and Somekh, M.G.
All-optical adaptive scanning acoustic microscope 295
Shehata, M.T., see Jen, C.-K. 777
Sheikhzadeh, H., see Honarvar, F. 755
Shi, Y., Wooh, S.-C., and Orwat, M.
Laser-ultrasonic generation of Lamb waves in the reaction force range 623
Shukla, J.P., see Awasthi, A. 477
Sildva, H., see Fan, Y. 369
Silva, M.Z., Gouyon, R., and Lepoutre, F.
Hidden corrosion detection in aircraft aluminum structures using laser ultrasonics and wavelet transform signal analysis 301
Sim, J., see Fan, Y. 369
Sinclair, A.N., see Fan, Y. 369
Sinclair, A.N., see Honarvar, F. 755
Singh, K.J., Matsuda, Y., Hattori, K., Nakano, H., and Nagai, S.
Non-contact sound velocities and attenuation measurements of several ceramics at elevated temperatures 9
Siqueira, M.H.S., Gatts, C.E.N., da Silva, R.R., and Rebello, J.M.A.
The use of ultrasonic guided waves and wavelets analysis in pipe inspection 785
Solanki, P., see Hutchins, D.A. 163
Somekh, M.G., see Sharples, S.D. 295
Song, S.-J., see Kim, Y.H. 799
Song, W.-J., see Hayashi, T. 175
Spégel, P., see Wiklund, M. 329
Speirs, D., see Gachagan, A. 283
Spies, M., and Jager, W.
Synthetic aperture focusing for defect reconstruction in anisotropic media 125
Steinberg, T.A., see Chiffoleau, G.J.A. 347
Stepanić Jr., J., Wüstenberg, H., Krstelj, V., and Mrasek, H.
Contribution to classification of buried objects based on acoustic impedance matching 115
Szecket, A., see Fan, Y. 369

Tan, E.L.
A concise and efficient scattering matrix formalism for stable analysis of elastic wave propagation in multilayered anisotropic solids 229
Thierman, J., see Konofagou, E. 337
Torp-Pedersen, S., see Schlaikjer, M. 415
Trots, I., see Nowicki, A. 615
Tsukahara, Y., see Ishikawa, S. 1
Tysoe, B., see Fan, Y. 369

Uchino, K., see Manuspiya, S. 83

Valente, J.S., see Machado, J.C. 605
Valentin Predoi, M., see Le Clezio, E. 25
Veidt, M., see Chiffoleau, G.J.A. 347
Veronesi, W., see Hassan, W. 41
Viggen, K., see Bartleson, V.B. 75

Wang, M.C., see Kim, Y.U. 539
Water, W., see Chu, S.-Y. 133
Wen, F.-L., see Yen, C.-Y. 451
Wen, F.-L., Yen, C.-Y., and Ouyang, M.
Thin-disk piezoceramic ultrasonic motor. Part I: design and performance evaluation 437
White, P.R., see Hughes, E.R. 365
Whittaker, A.K., see Mather, M.L. 551
Wiklund, M., Spégel, P., Nilsson, S., and Hertz, H.M.
Ultrasonic-trap-enhanced selectivity in capillary electrophoresis 329
Willatzen, M.
Flow acoustics modelling and implications for ultrasonic flow measurement based on the transit-time method 805
Willatzen, M.
Ultrasonic flow measurement and wall acoustic impedance effects 719
Willatzen, M.
Ultrasonic flowmeters: temperature gradients and transducer geometry effects 105
Wójcik, J., see Radulescu, E.G. 239

Wójcik, J., see Radulescu, E.G. 247
Wooh, S.-C., see Shi, Y. 623
Wüstenberg, H., see Stepanić Jr., J. 115

Xing, Z., see Chu, X. 737

Yamanaka, K., see Ishikawa, S. 1
Yen, C.-Y., see Wen, F.-L. 437
Yen, C.-Y., Wen, F.-L., and Ouyang, M.
Thin-disc piezoceramic ultrasonic motor. Part II: system construction and control 451
Yeomans, J.M., see Haydock, D. 531

Zaitsev, B.D., see Sakharov, V.E. 319
Zhang, R., see Jiang, W. 55
Zhao, B., Basir, O.A., and Mittal, G.S.
A self-aligning ultrasound sensor for detecting foreign bodies in glass containers 217
Zhao, X-Z., see Guo, S.S. 223
Zheng, C.-Q., see Jen, C.-K. 777
Zhou, T., see Qu, J. 561
Zindel, J.W., see Ghaffari, B. 699
Zou, W., Holland, S., Kim, K.Y., and Sachse, W.
Wideband high-frequency line-focus PVDF transducer for materials characterization 157

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Ultrasonics 41 (2004) 831–833
Ultrasonics
www.elsevier.com/locate/ultras

Subject Index to Volume 41

Ablation, 623
Absorption, 197
Acoustic cavitation, 465
Acoustic emission, 765
Acoustic impedance, 115
Acoustic materials signature, 581
Acoustic microscopy, 581
Acoustic particle agglomeration, 277
Acoustic spectroscopy, 357
Acoustic streaming, 531
Acoustic waves, 97
Acoustics, 487
Adaptive acoustics, 295
Adhesives, 521
Agar gel, 337
Air-coupled, 163
Aircraft structures, 301
Aluminum, 301
Aluminum castings, 699
Anisotropic materials, 55
Anisotropy, 125, 581
Anisotropy materials, 141
Antipersonnel landmines, 115
Attenuation, 357, 509, 699
Auto-alignment, 217
Autocorrelation, 385
Autoregressive spectral extrapolation, 755

Ball surface acoustic wave device, 1
Becquerel effect, 323
Bio-mimetic materials, 569
Biot, 207
Biot's theory, 365
Bleustein–Gulyaev wave, 397
Blood velocity estimation, 415
Bone examination, 615
Broadband ultrasonic attenuation, 615
Bulk waves, 197
Buried objects, 115
Burst, 307

Cancellous bone, 365
Capillary electrophoresis, 329
Cardiac elastography, 743
Cavitation, 283, 313, 323
Cavitational intensity, 595
Ceramics, 9, 141
Cleaning, 185
^{13}C-NMR spectra, 727
Coagulative, 337
Coded ultrasound, 615
Composites, 709
Concentration limit of detection, 329
Condition monitoring, 765
Conical geometry, 163
Contact, 561
Contrast microbubbles, 75
Control, 465
Corrosion detection, 301
Coupling effects, 89
Critical frequency, 365
Cylinder, 289

3D, 421
Deconvolution, 799
Defect, 125
Design, 261
Detection of defects, 811
Die-casting, 777
Differential composite motion, 737
Diffusion in porous materials, 531
Dispersion, 709
Dispersion curve, 175
Doppler processing, 385
Drive circuit, 83

Edge mode, 25
Elastic constants, 55
Elastic waves, 347
Electric contact method, 561
Electric shock, 15
Electromagnetic microwaves, 97
Electrostriction, 223
Emulsions, 569
Encapsulated bubble, 605
Enhancement of diffusion, 531
Enhancement of mass transport, 531
Equivalent circuit, 15, 89, 427
Excess function, 477
Explosive welding, 369

FEM, 261
Field II, 415
Filtration, 65
Finite element modelling, 283
Flow, 105, 805
Flow measurement, 105, 719
Flue gas cleaning, 277
Focussed, 163
Food safety, 217
Foreign body detection, 217
Form function, 369
Fourth-order finite-difference method, 811
Fracture appearance transition temperature (FATT), 543
Fracture toughness, 543
Friction contact, 437
Friction drive, 271
Frictional contacts, 197
Fundamental non-torsional modes, 509
FUS, 337

Gas-phase heat transfer, 289
Gelatin, 569
Grating, 655
Ground contamination, 539
Group velocity, 125
Guided wave, 175
Guided waves, 785

Harmonic-generation, 709
Harmonic response, 605
High frequency hydrophone calibration, 247
High frequency ultrasound, 247, 635
High power, 261, 283
High power acoustic field, 289
High-power ultrasonics, 255
High-power ultrasound, 277
High temperature, 9, 777
Homogeneous media, 683
Hot spot theory, 313
Hydrodynamic cavitation, 465
Hydrophone effective diameter, 635
Hydrophone spatial averaging corrections, 635
Hysteresis, 643

Ice, 595
In situ remediation, 539
Industrial applications, 277
Infrared spectrum, 477
Initial stress, 397
Integral transform method, 623
Interface, 369
Irradiation, 223
Iterative method, 501

JW model, 239

Kissing bonds, 521
KLM models, 671

doi:10.1016/S0041-624X(04)00204-5

Laboratory testing, 539
Lamb wave, 623
Lamb wave transducers, 319
Lamb waves, 25, 301
Laser ultrasonics, 9, 295, 301
Laser-ultrasound, 623
Leakage, 509
Linear motor, 271
Liquid level sensor, 319
Liquid mixture, 477
Love mode, 133

Magnesium, 777
MALDI-TOF MS, 727
Mason's electric circuit, 191
Material characterization, 55
Materials characterization, 569
Mathematical modelling, 805
Measurement, 561
Mechanical loss, 15
Mechanical pre-stressing, 191
Membrane filtration, 185
Microactuator, 271
Microscopy, 595
Mode excitation, 623
Modeling, 125
Modulus, 337
Motion estimation, 743
Multilayered media, 683
Multiples, 683
Multiscale, 487
Muscle, 337

NAPL hydrocarbons, 539
NDE, 1
NDT, 307, 487
Non-linearity, 451
Nondestructive evaluation, 543
Nondestructive inspection, 97
Noninvasive sensing methods, 319
Nonlinear acoustics, 643
Nonlinear hydrophone calibration, 247
Nonlinear image filtration, 743
Nonlinear propagation, 239
Nonlinear propagation modeling, 239
Nonlinear relaxator, 643
Nonlinearity, 307
Nonlinearity parameter, 543, 709
Normal modes, 207
Nucleation, 595
Numerical dispersion, 811

Open-circuit test, 15
Optical holographic interferometry, 663
O_2 uptake, 407
Over layer, 581

P(VDF-TrFE), 223
Parallel resistor, 427
Particle separation, 65, 329
Performance evaluation, 437
Phase velocity, 357, 397
Photoelectrochemistry, 313, 323
Piezoceramic ultrasonic motor, 451
Piezocomposites, 307
Piezoelectric ceramics, 191
Piezoelectric transformer, 83
Piezoelectric vibrator, 731
Piezoelectricity, 89, 141
Piezotransducers, 191
Placement method, 731
Point focus beam, 581
Polyamine, 407
Polymer gel dosimeter, 551
Porcine, 337
Pore shape, 699
Poroelastic plate, 207
Porosity, 699
Porous media, 65
Positioning tracking, 451
Preheating temperature, 289
PVDF, 671
PZN–PT, PMN–PT piezoelectric crystals, 55
PZT, 671
PZT vibrator, 15

Radial pulsation, 605
Radial vibration mode, 83
Radiation dosimetry, 551
Rail inspection, 175
Reflected wave, 115
Reflection, 347
Reflection coefficient, 41, 207
Reflection coefficients, 521
Resonance acoustic spectroscopy, 369
Resonances, 655
Reverberation, 683
Reversible, 337
RF-data simulation, 415
Rotor steel, 543
Rubbing, 765

Scan conversion, 421
Scanning acoustic microscope, 295
Scattering, 41, 655
Semi-analytical finite element method, 175
Semi-solid, 777
Signal identification, 799
Signal processing, 357, 755, 785
Similarity function, 799
Simulation, 261
Simulations, 663
Sliding-mode control, 451
Soil-flushing method, 539
Solder points, 731
Solid–liquid separation, 255
Solid/liquid interface, 347
Sonic, 407
Sonic power, 185
Sonocrystallisation, 595
Sonoluminescence, 313, 323
Sound attenuation, 9
Sound velocity, 9, 569
Spatial compounding, 377
Spatial light modulator, 295
Speckle reduction, 377
Spectral, 337
Sphere, 1
Spurious bulk waves, 1
Standing wave, 289
Standing waves, 663
Statistical estimation, 743
Statistical estimation and simulation, 377
ST-cut quartz, 133
Stepper motors, 737
Stepping motion, 737
Stiffness, 337
Stratified media, 501
Stress waves, 539
Structural wave propagation, 811
Structural waves, 347
Surface acoustic wave, 141, 271, 397
Surface-breaking crack, 41
Surface wave, 41
Surfaces impedances, 501
Suspensions, 357

Temper embrittlement, 543
Temperature field, 731
Temperature gradients, 105
Thermal, 337
Time constant, 427
Time delay spectrometry (TDS), 247
Time gating frequency analysis (TGFA), 247
Time reverse numerical simulation, 811
Tissue motion, 415
Trabecular bone, 365
Trajectory model, 65
Transducer, 125, 427
Transducers, 89, 307
Transient response, 427
Transient state, 731
Traveling wave type ultrasonic motor, 561
Travelling wave, 289
Turbines, 765
Two-dimensional Fourier transform, 175

Ultrasonic, 185
Ultrasonic absorption, 551
Ultrasonic actuator, 437
Ultrasonic attenuation, 551
Ultrasonic bone assessment, 365
Ultrasonic condition, 727
Ultrasonic flow measurement, 805
Ultrasonic lamb waves, 319
Ultrasonic measurements, 55
Ultrasonic metrology, 247
Ultrasonic motor, 83, 89
Ultrasonic motors, 737
Ultrasonic nondestructive evaluation, 369
Ultrasonic processing, 65
Ultrasonic relaxation, 551
Ultrasonic sensor, 777
Ultrasonic testing, 755, 799
Ultrasonic transducer, 223
Ultrasonic transducers, 261, 671
Ultrasonic trapping, 329
Ultrasonic velocity, 477
Ultrasonic vibration, 437
Ultrasonics, 465, 699
Ultrasound, 25, 115, 217, 337, 415, 421, 521, 539, 569, 605, 663, 683
Ultrasound contrast, 75
Ultrasound harmonic imaging, 75
Ultrasound hydrophones, 635
Ultrasound imaging, 377
Ultrasound metrology, 635

Ultrasound propagation, 105, 719, 805
Ultrasound simulation, 385
Ultrasound transducers, 105
Uniaxial graphite–epoxy composite, 97
USAE, 337

Vector contrast imaging, 295
Vegetables, 407
Viscoelastic layers, 197
Viscoelastic medium, 605
Vitamin C, 407

Wall acoustic impedance, 719
Water pipes, 509
Water treatments, 185
Water-soluble fullerene [C_{60}], 727
Wave–crack interaction, 643
Wavelet analysis, 301
Wavelet transform, 487
Wavelets, 785
Waves in rods, 347
Weld joints, 799
Wiener filtering, 755
Wire bonding, 261
Wobbling mode, 737

ZnO, 133